

TABLE OF CONTENTS

	List of Figures	v
	List of Tables	ix
	Preface	xi
	Abbreviations	xiii
Part 1	<u>Model Overview</u>	
1	General Description	1
1.1	Introduction	1
1.2	Historical Background	1
1.3	Model Characteristics	4
Part 2	<u>Functional Specifications</u>	
2	Physical and Hydrologic Components	12
2.1	Rainfall	12
2.2	Evapotranspiration	16
2.3	Overland Flow	27
2.4	Subsurface Flow	34
2.5	Canal Routing	47
2.6	Initial and Boundary Conditions	50
3	Policy and System Management Components	53
3.1	Lake Okeechobee	53
3.2	Supply-Side Management for the Lake Okeechobee Service Area	71
3.3	Everglades Agricultural Area	79
3.4	Everglades Protection Area	104
3.5	Simulation of the Lower East Coast of South Florida	132
Part 3	<u>Model Specifications</u>	
4	Data Input and Output	153
4.1	Input Description	153
4.2	Output Description	154
5	Model Structure	157
5.1	General Program Organization	157
5.2	Function / Subroutine Description	159
5.3	Post-Processing/Analysis Tools and Utilities	167
Part 4	<u>Miscellaneous Topics</u>	
6	Calibration	169
6.1	Calibration of the EAA	170
6.2	Calibration of the Everglades and the LEC	177

7	Sensitivity Analysis	193
7.1	Methodology	193
7.2	Results of Sensitivity Analysis	194
8	Uncertainty Analysis	204
8.1	Methodology	204
8.2	Results of Uncertainty Analysis	206
	References	226
	Glossary	233

LIST OF FIGURES

1.2.1	Evolution of the South Florida Water Management Model	3
1.3.1	South Florida Water Management Model Boundaries	6
1.3.2	General Hydrologic Processes in the South Florida Water Management Model	7
1.3.3	Simplified Flowchart for the South Florida Water Management Model	8
1.3.4	The South Florida Water Management Modeling System	10
1.3.5	Major Geographical Areas within the South Florida Water Management Model where Standard Water Budget Summaries are Written During Post-Processing of Model Output	11
2.1.1	Location of Rainfall Stations Used to Estimate Rainfall in Lake Okeechobee	12
2.1.2	Location of Rainfall Stations Used to Create Rainfall Input Data for the Computational Grid Cells in the South Florida Water Management Model	15
2.2.1	Conceptual Representation of the Different Lake Okeechobee Evapotranspiration Zones as Implemented in the South Florida Water Management Model	17
2.2.2	Meteorological Stations Used to Calculate Reference ET (Based on the Penman- Monteith Equation) on a Daily Basis as Input to the South Florida Water Management Model	19
2.2.3	KFACT as a Function of Water Table Location	21
2.3.1	Location of Computation (Source and Destination) Cells Used in Calculating Total Head at Grid Cell (i,j) During Time Step t+1 as Implemented in the Overland Flow Subroutine in the South Florida Water Management Model	32
2.4.1	Canal-Levee Configuration Representing a Typical Transect Used in Developing Empirical Levee Seepage Equations in the South Florida Water Management Model	36
2.4.2	Sections or Transects Across the Major Levees Used to Formulate Levee Seepage Equations in the South Florida Water Management Model	37
2.4.3	Location of Computational Cells Used in Calculating Total Head at Grid Cell (i,j) During Time Step t+1 as Implemented in the Groundwater Flow Subroutine in the South Florida Water Management Model	44
2.4.4	Generalized Block Diagram of Surface-Subsurface Interaction in the SFWMM	46
2.6.1	USGS Tidal Stations Used to Define Coastal Boundary Conditions in the South Florida Water Management Model	52
3.1.1	Lake Okeechobee Stage-Area-Storage Relationships	54
3.1.2	Lake Okeechobee Regulation Schedule	61
3.1.3	Overall Operating Levels for Lake Okeechobee	69
3.1.4	Schematic Diagram of Caloosahatchee Basin/Estuary Simulation Module	70
3.2.1	Flowchart for Supply-Side Management as Implemented in the South Florida Water Management Model	76
3.3.1	South Florida Water Management Model Grid Superimposed on Major Basins in the Everglades Agricultural Area	80
3.3.2	Conceptual Diagram of the Hydrologic System in the Everglades Agricultural Area as Represented in the South Florida Water Management Model	81
3.3.3	Conceptual Representation of an EAA Grid Cell in the SFWMM	82

3.3.4	Variation of Theoretical Total Evapotranspiration, ET_0 , as a Function of Depth	85
3.3.5	Canal-Structure Configurations Used in Calculating Canal Conveyance Capacities for the Everglades Agricultural Area Algorithm in the South Florida Water Management Model	95
3.3.6	Location of the Proposed Stormwater Treatment Areas	96
3.3.7	Flow Distribution Within and Around the Everglades Agricultural Area with the Proposed Stormwater Treatment Areas In Place as Implemented in the South Florida Water Management Model	98
3.3.8	Conceptual Lake Okeechobee Regulation Schedule Showing Proposed ASR Injection and Recovery Zones as Used in the South Florida Water Management Model	102
3.4.1	Surface Water Management Basins in the Everglades: Water Conservation Areas and Everglades National Park	105
3.4.2	WCA-1 Basin Boundary, Canals and Water Control Structures	106
3.4.3	WCA-2A Basin Boundary, Canals and Water Control Structures	108
3.4.4	WCA-2B Basin Boundary, Canals and Water Control Structures	109
3.4.5	WCA-3A Basin Boundary, Canals and Water Control Structures	111
3.4.6	WCA-3B Basin Boundary, Canals and Water Control Structures	112
3.4.7	Everglades National Park Basin Boundary, Canals and Water Control Structures . .	113
3.4.8	SFWMM Grid Cell Network with Model Boundary and Water Budget Basins Superimposed on a Map of South Florida with Major Canals	115
3.4.9	Regulation Schedule for Water Conservation Area 1	118
3.4.10	Regulation Schedule for Water Conservation Area 2A	119
3.4.11	Regulation Schedule for Water Conservation Area 3A	120
3.4.12	Regulation Schedules for Water Conservation Areas 1, 2A, and 3A	121
3.4.13	Conceptual Diagram of Proposed Operations Associated with Everglades Environmental Deliveries and Flood Control Releases	126
3.4.14	Flow Routing Associated with the Proposed Environmental Deliveries as Implemented in the South Florida Water Management Model	127
3.5.1	Primary Structures Used in Making Water Supply Deliveries to the Three Service Areas within the Lower East Coast	133
3.5.2	Hypothetical Canal Network Used to Explain Water Supply Needs Calculations in the South Florida Water Management Model	135
3.5.3	Sequence of Water Supply Needs Calculations for the Hypothetical Canal Network	139
3.5.4	Flowchart for Calculating Water Supply Needs for the Lower East Coast as Implemented in the South Florida Water Management Model	140
3.5.5	Systems Diagram of Processes Simulated in the South Florida Water Management Model for Irrigated Cells within the Lower East Coast Service Area	144
3.5.6	Location of Key Trigger Cells in the South Florida Water Management Model Used to Trigger Water Restrictions in the Lower East Coast Developed Area	148
3.5.7	Flowchart for Water Shortage Plan as Implemented in the South Florida Water Management Model	150
6.1.1	Everglades Agricultural Area Unsaturated Zone Storage Triggers for Runoff and Supplemental Flow as Implemented in the South Florida Water Management	

Model	173
6.1.2 Comparison of SFWMM Simulated Monthly Runoff and Supplemental Flow for the Everglades Agricultural Area with Historical Data (1979-1990)	173
6.1.3 Comparison of SFWMM Simulated Monthly Runoff and Supplemental Flow for the Everglades Agricultural Area with Historical Data (1991-1995)	174
6.1.4 Comparison of SFWMM Simulated Mean Monthly Runoff and Supplemental Flow for the Everglades Agricultural Area with Historical Data	174
6.1.5 Comparison of SFWMM Simulated Annual Runoff and Supplemental Flow for the Everglades Agricultural Area with Historical Data	175
6.1.6 X-Y Plot of SFWMM Simulated Monthly Everglades Agricultural Area Runoff and Historical Data (1979-1995)	175
6.1.7 X-Y Plot of SFWMM Simulated Monthly Everglades Agricultural Area Supplemental Flow and Historical Data (1979-1995)	176
6.2.1 Location of Selected Groundwater Level Monitoring or Observation Wells Used in the South Florida Water Management Model Calibration	178
6.2.2 Location of Major Control Structures Simulated in the South Florida Water Management Model	181
6.2.3(a) Comparison of Simulated and Historical End-of-Month Stages at Gage Location G975 for Period of Record 1979-1990	183
6.2.3(b) Comparison of Simulated and Historical End-of-Month Stages at Gage Location G594 for Period of Record 1979-1990	183
6.2.4(a) Comparison of Simulated and Historical End-of-Month Stages at Gage Location G1074B for Period of Record 1979-1990	184
6.2.4(b) Comparison of Simulated and Historical End-of-Month Stages at Gage Location G853 for Period of Record 1979-1990	184
6.2.5(a) Comparison of Simulated and Historical End-of-Month Stages at Gage Location G1315 for Period of Record 1979-1990	185
6.2.5(b) Comparison of Simulated and Historical End-of-Month Stages at Gage Location G1316 for Period of Record 1979-1990	185
6.2.6(a) Comparison of Simulated and Historical End-of-Month Stages at Gage Location PB831 for Period of Record 1979-1990	186
6.2.6(b) Comparison of Simulated and Historical End-of-Month Stages at Gage Location BR105 for Period of Record 1979-1990	186
6.2.7(a) Comparison of Simulated and Historical End-of-Month Stages at Gage Location 3A-2 for Period of Record 1979-1990	188
6.2.7(b) Comparison of Simulated and Historical End-of-Month Stages at Gage Location 3A-4 for Period of Record 1979-1990	188
6.2.8(a) Comparison of Simulated and Historical Mean Monthly Stages along C-12 Canal (S-33HW) for Period of Record 1979-1990	189
6.2.8(b) Comparison of Simulated and Historical Mean Monthly Stages along NNRC (G-54HW) for Period of Record 1979-1990	189
6.2.9 Comparison of Simulated and Historical Mean Monthly Stages along C-111 Canal (S-177HW) for Period of Record 1979-1990	190
6.2.10 Comparison of Simulated and Historical Mean Monthly Stages along C-51 Canal (S-155HW) for Period of Record 1979-1990	190

6.2.11	Comparison of Simulated and Historical Flows at Structure S-177 for Period of Record 1979-1990	191
6.2.12	Comparison of Simulated and Historical Flows at Structure S-155 for Period of Record 1979-1990	192
7.2.1	Components of the Sensitivity Matrix for Lower East Coast Service Area 1	196
7.2.2	Components of the Sensitivity Matrix for Lower East Coast Service Area 2	197
7.2.3	Components of the Sensitivity Matrix for Lower East Coast Service Area 3	198
7.2.4	Components of the Sensitivity Matrix for Water Conservation Areas	199
7.2.5	Components of the Sensitivity Matrix for Everglades National Park	200
7.2.6	Components of the Sensitivity Matrix for Canals	202
7.2.7	Components of the Sensitivity Matrix for Coastal Flows	203
8.2.1	Simulated Versus Historical Water Levels for Gage 1-7	222
8.2.2	Simulated Versus Historical Water Levels for Gage 3A-28	222
8.2.3	Simulated Versus Historical Water Levels for Gage 3A-4	223
8.2.4	Simulated Versus Historical Water Levels for Gage 3A-10	223
8.2.5	Simulated Versus Historical Water Levels for Gage 2A-159	224
8.2.6	Lower East Coast Service Area 1 (1979-1990) - Flows to Tide	224
8.2.7	Lower East Coast Service Area 2 (1979-1990) - Flows to Tide	225
8.2.8	Lower East Coast Service Area 3 (1979-1990) - Flows to Tide	225

LIST OF TABLES

2.2.1	Variation of KFACT as a Function of Water Table Location	21
2.2.2	Static ET Parameters Used in the South Florida Water Management Model	22
2.2.3	Vegetation/Crop Coefficient (KVEG) as a Function of Land Use and Month as Implemented in the South Florida Water Management Model	23
2.3.1	Overland Flow Resistance Coefficients Used in the SFWMM	33
2.4.1	Levee Seepage Coefficients (β_0 , β_1 , β_2) Used in the SFWMM	38
2.5.1	Coefficients Used in the Equation for Manning's n (Cell-to-Canal or Canal-to-Cell Overland Flow)	48
3.1.1	Lake Okeechobee Operations in the South Florida Water Management Model.	59
3.1.2	EAA Pump Capacities	63
3.1.3	EAA Spillway Capacities	63
3.1.4	Lake Okeechobee Hurricane Gate Capacities	63
3.1.5	Pulse Release Hydrographs for the Three Levels of Zone D Regulation Schedule for Lake Okeechobee	68
3.2.1	Some Characteristics of Lake Okeechobee Service Areas	72
3.2.2	Normal Dry Season Lake ET and Rainfall, and EAA Water Use Incorporated in the Supply-Side Management Module of the South Florida Water Management Model	75
3.2.3	Normal Cumulative Dry Season Lake ET and Rainfall, and EAA Water Use Incorporated in the Supply-Side Management Module of the South Florida Water Management Model.	75
3.3.1	Monthly Crop Coefficient KVEG for the Three EAA Vegetation Types	84
3.3.2	Variation of KFACT in the Equation for Theoretical Total Evapotranspiration as a Function of Depth	85
3.3.3	Operational Constraints Used in the SFWMM for Removing Excess Runoff from EAA Basins	90
3.3.4	Allowable Percentage of Design Discharge Through the Major EAA Conveyance Canals	92
3.3.5	Some Physical Properties of the Nine EAA Canal Reaches Used in Calculating Conveyance Capacities Through the EAA	94
3.3.6	General Operating Considerations for STA-type Reservoirs in the EAA Simulation within the South Florida Water Management Model	99
3.3.7	General Operating Considerations for non-STA-type Reservoirs in the EAA Simulation within the South Florida Water Management Model	101
3.3.8	Summary of Water Management Actions for the Proposed Lake Okeechobee Regulation Schedule with ASR (Conceptual)	103
3.4.1	Comparison Between Actual and Modeled Areas in the Everglades Protection Area.	114
3.4.2	Trigger Locations for Regulatory Releases from WCAs as Used in the SFWMM	117
3.4.3	Structure Operations Associated with Regulatory Discharges in the Water Conservation Areas	122
3.4.4	Floor Elevations for WCAs Used in the SFWMM	124

3.4.5	Structure Operations for Water Supply Releases from WCAs to LECSAs	125
3.4.6	Description of Proposed Environmental Water Supply Deliveries Within the Everglades	128
3.5.1	List of Inlet Structures for Each Service Area in the Lower East Coast	134
3.5.2	Canal Definition Data for Example Hypothetical Canal Network	136
3.5.3	Routing Information for Example Hypothetical Canal Network	136
3.5.4	Branch Information for Example Hypothetical Canal Network	137
3.5.5	Binary Input and Output Files Used in the South Florida Water Management Model for the Lower East Coast Unsaturated Zone Accounting	146
3.5.6	Proposed Cutbacks For Simulating the Short-Term Water Use Restrictions in the Lower East Coast Service Areas	147
6.1.1	General Rules Used in Adjusting Calibration Parameters for the Everglades Agricultural Area in the South Florida Water Management Model	171
6.1.2	Final Values of Parameters Used for the EAA Calibration in the SFWMM (v3.2) . .	172
7.1.1	Acceptable Range of Variation for Parameters/Physical Process Expressed in Terms of Calibrated Values	194
7.2.1	Parameter Correlation Matrix	201
8.2.1	Half-Width of 90% Uncertainty Band and Contributions by Parameters for Lower East Coast Service Area 1	207
8.2.2	Half-Width of 90% Parameter Uncertainty Band and Contributions by Parameters for Lower East Coast Service Area 2	208
8.2.3	Half-Width of 90% Parameter Uncertainty Band and Contributions by Parameters for Lower East Coast Service Area 3	209
8.2.4	Half-Width of 90% Parameter Uncertainty Band and Contributions by Parameters for Water Conservation Areas	211
8.2.5	Half-Width of 90% Parameter Uncertainty Band and Contributions by Parameters for Everglades National Park	212
8.2.6	Half-Width of 90% Parameter Uncertainty Band and Contributions by Parameters for Canals	213
8.2.7	Half-Width of the 90% Total Uncertainty Band for Lower East Coast Service Area 1	215
8.2.8	Half-Width of the 90% Total Uncertainty Band for Lower East Coast Service Area 2.	216
8.2.9	Half-Width of the 90% Total Uncertainty Band for Lower East Coast Service Area 3.	217
8.2.10	Half-Width of the 90% Total Uncertainty Band for Water Conservation Areas	219
8.2.11	Half-Width of the 90% Total Uncertainty Band for Everglades National Park	220
8.2.12	Half-Width Of the 90% Total Uncertainty Band for Canal Water Levels	221